

# Falls SPECIFICATIONS

MODEL	LDL-9	LDL-10	LDL-11	LDL-12
Overall Length	9'6"	10'6"	11'6"	12'6"
Cutting Edge	5/8" x 6" x 9'	1/2" x 6" x 10'	1/2" x 6" x 11'	1/2" x 6" x 12'
Moldboard Height (front & rear)	30"			
Moldboard Thickness	10 gauge A607-50			
Moldboard Radius	16.5"			
Pivot Bolt	1.5"			
Front Mast Assembly	7" T-1 I-beam			
Front Slide Mechanism	Tubular - 18"			
Hydraulic Cylinders	Two (2) 3.5" Diameter double acting			
Push Arms	1			
Plowing Angles	30-50 Degrees			
Total Weight	1950 lb.	2150 lb.	2250 lb.	2350 lb.

Contact Little Falls Machine Inc. for available Hydraulic Control Packages.

YOUR DEALER IS:



## LITTLE FALLS MACHINE, INC.

300 Lindbergh Drive South  
Little Falls, MN 56345  
Toll-free 800-772-PLOW

Phone (320) 632-9266 • Fax (320) 632-3484

[www.fallsplows.com](http://www.fallsplows.com)

*Specifications are subject to change without notice.*

The policy and promise of Little Falls Machine, Inc. is continuing product improvement. Design change and structural alterations may occur without prior notice. Such changes will not sacrifice quality or product integrity.

*Falls® is a trademark of Little Falls Machine, Inc.  
Little Falls Machine, Inc. is an equal opportunity employer.*



## LDL Series

Rear Mount

Front Mount

Front Mount with Back Lift

# DIRECT HYDRAULIC FOR WHEEL LOADERS FRONT MOUNT/REAR LIFT

# SNOW WING



FRONT MOUNT/REAR LIFT  
Perfect for benching operations.

*The snow-proven performance of Falls Snow Equipment is legendary and now the Falls Heavy-Duty LDL Snow Wings may be installed on a wide variety of front end wheel loaders. Get the best from your wheel loader while dealing with winter's worst!*

- Streamlined, low profile design for maximum visibility
- Trip cutting edge or trip moldboard available
- Hydraulic rear post slide available
- Nitrogen-accumulated hydraulic push arm extension available
- Adaptable to all popular quick couplers

# DIRECT HYDRAULIC WHEEL LOADERS FRONT MOUNT/FRONT LIFT



FRONT MOUNT/FRONT LIFT  
Great straightline performance.



- Streamlined, low profile design for maximum visibility
- Trip cutting edge or trip moldboard available
- Hydraulic rear post slide available
- Nitrogen-accumulated hydraulic push arm extension available
- Adaptable to all popular quick couplers



Optional Hydraulic  
Pushbar

# DIRECT HYDRAULIC FOR WHEEL LOADERS REAR MOUNT/REAR LIFT

# WING



REAR MOUNT/REAR LIFT  
Perfect for general wing work.  
Leave wing on all season long.



- Streamlined, low profile design for maximum visibility
- Trip cutting edge or trip moldboard available
- Hydraulic rear post slide available
- Nitrogen-accumulated hydraulic push arm extension available
- Adaptable to all popular quick couplers

